

JAN -6 P2:50

STATE PROCUREMENT OFFICE PROCUREMENT OF FICE STATE OF HAWA!!

1. TO: Chief Procurement Officer	
2.FROM: Department of Public Safety, Corrections Division	
Department/Division/Agency Pursuant to §103D-307, HRS, and Subchapter 10, Chapter 3-122, HAR, the Department re	quests approval for the following:
3. Date January 5, 2011 4. After the	
5. Nature of the Emergency	
Chevron, the manufacturer of the liquid propane (LP), has encountered production problem AmeriGas Propane L.P., dba Oahu Gas Service's ability to deliver LP to our facilities. Che	ns which affects our Contractor,
will be back in production is tentatively January 14, 2011 provided the product meets requ	ired specifications. It will take an
additional few days to resupply its customers. If product fails to pass testing, Chevron will	have to repeat the entire process
again, further delaying availability from Chevron.	7. Price:
6. Vendor: To Be Determined Address:	
Addiess.	est. \$ 7,000 puwk /7/
8. Description of goods, services, or construction to be purchased	
Liquified Petroleum Gas (Propane)	-
9. Reason for Vendor Selection	
Availability of product, soonest possible delivery, and most advantageous price.	
10 Direct questions to: Michael Clack Phone	. 587-1198
10. Direct questions to: Michael Clack Phone	: 587-1198
10. Direct questions to: Michael Clack Phone 11. I certify that the information provided above is to the best of my known to	
io. Direct questions to:	
11. I certify that the information provided above is to the best of my known of the Musica Husta 1511	
11. I certify that the information provided above is to the best of my known and the Museum Huston 1511 Department Head or Designee Date	
11. I certify that the information provided above is to the best of my known and the Museum Hundry 1511 Department Head or Designee Date Reserved for SPO Use Only	
11. I certify that the information provided above is to the best of my known and the Museum Huston 1511 Department Head or Designee Date	
11. I certify that the information provided above is to the best of my known and the state of the best of my known and the state of the best of my known and the state of the best of my known and the state of the best of my known and the state of the best of my known and the state of the best of my known and the state of the best of my known and the state of the best of my known and the state of the best of my known and the state of the best of my known and the state of the best of my known and the state of the best of my known and the state of the best of my known and the state of the best of my known and the best	eactor, Oahu Gas, is unable to
11. I certify that the information provided above is to the best of my known and the second of the best of my known and the second of the best of my known and the second of the best of my known and the second of the best of my known and the second of the best of my known and the second of the best of my known and the second of the best of my known and the second of the best of my known and the second of the best of my known and the second of the best of my known and	ractor, Oahu Gas, is unable to
11. I certify that the information provided above is to the best of my known and the second of the best of my known and the second of the best of my known and the second of the best of my known and the second of the best of my known and the second of the best of my known and the second of the best of my known and the second of the best of my known and the best of my kn	ractor, Oahu Gas, is unable to a few days to resupply the needs of the correctional
11. I certify that the information provided above is to the best of my known and the Medical House Department Head or Designee Date Reserved for SPO Use Only 12. Chief Procurement Officer's comments: This approval is granted based on the department's representation that the current control fulfill its requirements to furnish liquid propane while Chevron (its supplier) has temporate the tentative date to resume production is scheduled for January 14, 2011 and will take department, unless the product fails to past testing. Approval is only for the immediate facilities and for the period that Oahu Gas is unable to supply liquid propane not to except the supply supply the supply supply the supply supp	ractor, Oahu Gas, is unable to a few days to resupply the needs of the correctional
11. I certify that the information provided above is to the best of my known and the second of the best of my known and the second of the best of my known and the second of the best of my known and the second of the best of my known and the second of the best of my known and the second of the best of my known and the second of the best of my known and the best of my kn	ractor, Oahu Gas, is unable to a few days to resupply the needs of the correctional
11. I certify that the information provided above is to the best of my known and the Medical House Department Head or Designee Date Reserved for SPO Use Only 12. Chief Procurement Officer's comments: This approval is granted based on the department's representation that the current control fulfill its requirements to furnish liquid propane while Chevron (its supplier) has temporate the tentative date to resume production is scheduled for January 14, 2011 and will take department, unless the product fails to past testing. Approval is only for the immediate facilities and for the period that Oahu Gas is unable to supply liquid propane not to except the supply supply the supply supply the supply supp	ractor, Oahu Gas, is unable to a few days to resupply the needs of the correctional
11. I certify that the information provided above is to the best of my known Musalua Huata Department Head or Designee Reserved for SPO Use Only 12. Chief Procurement Officer's comments: This approval is granted based on the department's representation that the current control fulfill its requirements to furnish liquid propane while Chevron (its supplier) has temporate the tentative date to resume production is scheduled for January 14, 2011 and will take department, unless the product fails to past testing. Approval is only for the immediate facilities and for the period that Oahu Gas is unable to supply liquid propane not to excurntil Oahu Gas is able to supply the department, whichever is sooner.	ractor, Oahu Gas, is unable to orarily stopped production. e a few days to resupply the needs of the correctional eed February 15, 2011, or
11. I certify that the information provided above is to the best of my known Musaku Husek. Department Head or Designee Reserved for SPO Use Only 12. Chief Procurement Officer's comments: This approval is granted based on the department's representation that the current control fulfill its requirements to furnish liquid propane while Chevron (its supplier) has temporate the tentative date to resume production is scheduled for January 14, 2011 and will take department, unless the product fails to past testing. Approval is only for the immediate facilities and for the period that Oahu Gas is unable to supply liquid propane not to excuntil Oahu Gas is able to supply the department, whichever is sooner.	ractor, Oahu Gas, is unable to to the rarily stopped production. The a few days to resupply the needs of the correctional to the rectional to the rarily stopped production.